




Questions or Comments?
We are here to help!
Phone: 1.718.535.1800
PyleUSA.com/ContactUs

Visit Our Website



SCAN ME
PyleUSA.com



PLMRCAP100
10 Farad Digital Power Capacitor

USER GUIDE

**PLEASE READ THIS USER MANUAL COMPLETELY BEFORE OPERATING
THIS UNIT AND RETAIN THIS BOOKLET FOR FUTURE REFERENCE.**

WARNING:

- This power capacitor may explode and cause serious injury or death if abused or connected improperly.
- Refer to the installation manual for correct procedures when making connections, and/or charging/discharging the capacitor.
- Do not expose the capacitor to voltages higher than specified at any time.
- Do not install in direct sunlight or extreme temperatures.

CAUTION:

Improper connection of this product can cause electrical damage to the vehicle and/or equipment. PyleUSA assumes no responsibility for any damages that could occur due to improper connection of this product.

TABLE OF CONTENTS

Introduction	3
Operation	3
Installation	4
Power-Up Procedures and Display Function	6
Features and Technical Specs	7
Register Product	7

Introduction

This manual provides detailed information on the function, installation, and operation of the power capacitor.

To avoid possible injury and damage to your audio system, please study the manual carefully before you start the power capacitor installation.

Operation

The digital display capacitor is an energy storage device designed to supplement the audio amplifier's power supply during high current demand. An example of such a demand is when music hits a low bass transient.

The overall bass response of an audio system will be enhanced by using this device. It is capable of storing a large amount of energy which can be discharged very quickly when needed.

This makes the power capacitor a logical addition to the audio system, as automotive batteries are not designed to deliver the current required in high-power car audio installations.

Another feature of the digital display capacitor is its ability to filter car AC voltage induced by the amplifier's power supply. This can otherwise cause audible noise in the car's sound system.

⚠ WARNING: Cancer and Reproductive Harm - www.P65warnings.ca.gov

Installation

For maximum performance, the digital power capacitor should be installed as close to your amplifier as possible. The ideal location is one that allows short wiring runs while keeping the capacitor somewhat isolated from the heat created by the amplifier system. The positive power wire should be kept as short as possible and should be connected to the amplifier's battery supply cable. We recommend that a high-performance distribution block be used to create a splice into this cable (as shown in the image).

No fuses should be installed in the wire between the power capacitor and the amplifier system, but make sure there is an appropriate fuse at the battery in the main supply cable. The ground cable for the power capacitor should be kept as short as possible and should be connected directly to the vehicle's chassis at a bare metal surface. Do not ground the capacitor directly to the amplifier ground terminal or ground cable (see Fig. 1).

The positive and negative wires to the capacitor should have the same gauge as the amplifier power wires. High-performance 8 or 10 AWG OFC power cables are a good choice for this application. If the digital display has a remote terminal, remember to connect it with the remote terminal of your amplifier(s) using 18 to 20 AWG primary wire (see Fig. 2).

REM (ON/OFF) = REMOTE CONTROL

Connect the REM terminal to the automatic antenna connector of your car radio. Now, when turning on and off your car radio, the amplifier automatically switches on and off. A cable diameter of 0.5 mm² is sufficient.




fig. 1




fig. 2

Power-Up Procedures and Display Functions

1. Connect the power cable to the digital power capacitor.
Connect the ground cable first and second the positive cable.
2. The digital PCB system will turn on automatically during the initial charging process. The status LED will light, and the decimal point display will flicker to indicate the system is charging the capacitor.
3. When the capacitor is fully charged, the decimal point display will stop flickering, and the display will show the DC voltage of the car's electronic system.
4. If the DC voltage of the car's electronic system exceeds ± 0.1 ampere, the digital PCB will automatically operate (e.g., when the car audio system hits the bass or uses other high-consumption electronic equipment, causing large voltage drops).
5. If the DC voltage of the car does not exceed ± 0.1 ampere, the digital PCB will maintain its "on" status for one minute to ensure the car's electronic system is stable. The digital PCB will then automatically turn off and stay in "stand-by" mode.
6. If the DC voltage of the car's electronic system exceeds ± 0.1 ampere, the capacitor will automatically operate again.

Safety Protection Function

If the user accidentally reverses the polarity of (+) and (-), it can cause damage to the system and also be harmful to the user. Therefore, we have designed the PCB relay inside to protect against incorrect connections. The unit will not turn on, and the buzzer will warn the user. The digital power capacitor will only turn on if all wiring is connected correctly as per the instructions.

Features:

- 10 Farad Digital Display Power Capacitor
- Capacitance $\pm 5\%$. 20-24 Volt Surge, 221°F/105°C
- Blue Digital Display
- Strong Finishing For A Better Installation Result
- Chrome Plated Post Kits
- Electronic Polarity Protection Circuit
- Over Voltage Protection Circuit
- Includes Mounting Charging Hardware
- ABS housing and Aluminum Brushed Inside

What's in the Box:

- Digital Power Capacitor
- Mounting Charging Hardware

Technical Specs:

- Power Output: DC 12- 24V
- Construction Materials: ABS
- Product Dimensions: 5.90" x 10.24" - inches

Register Product

Thank you for choosing PyleUSA. By registering your product, you ensure that you receive the full benefits of our exclusive warranty and personalized customer support. Complete the form to access expert support and to keep your PyleUSA purchase in perfect condition.



[PyleUSA.com/register](https://www.PyleUSA.com/register)